

DESCRIPTION

Infusing a touch of sophistication and elegance into any municipal or residential project, the ALPINE transcends beauty in daylight and efficiency in the night. This luminaire serves as an impeccable solution for streets, curbsides, and pathways, enhancing both aesthetics and functionality. Employing the latest LED technology, the ALPINE allows independent concealment of the light source facing a residence through field adjustment. This strategic approach ensures that maximum lighting levels are precisely directed where needed—be it on the street or between fixtures on sidewalks. Moreover, it proves ideal for storefronts along the street, with the light source easily adjustable on-site to achieve optimal light distribution just before a storefront's entrance.

FEATURES

- Alpine LED
 • CCT: 2700K, 3000K, 4000K, 5000K

- Distribution
 • Types III & V

- Electrical
 • Electronic Driver, 120-277V, 50/60Hz or 347/480V, 50/60Hz
 • Standard Surge Protection Included (6kV Line-Line; 10kV Line-Earth)

- Controls (Optional)
 • Button Eye Photo Control (PC)
 • House Side Shield (H)
 • 7-Pin Twist-Lock Receptacle (PCR7, C8, C10 & C12 Capitals Only)
 • 3-Pin Twist-Lock Receptacle (PCR3, C8, C10 & C12 Capitals Only)



- Housing
 • Decorative Capital Housing Choices with 3" Slip Fitter*
- Finish
 • Super Durable Polyester Powder Coat Finish. Custom Finishes Available, Including Patinas and All RAL Colors.
- Listings & Ratings
 • ETL Listed to UL 1598 Standard for Wet Location.

Client:	
Order #:	
Project:	
Type:	

PERFORMANCE DATA

CRI
70+

CCT
2700K, 3000K, 4000K, 5000K

Projected Lifetime
 >196,000 Hours (L70)
 >60,000 Hours (L90)

Dimming
 0-10V Dimming Standard,
 10% down to 100%

Operating Temperature
 -40°C to +40°C Ambient

Warranty
 5 year Standard
 10 year Optional

ORDERING INFORMATION


ALPINE							
---------------	--	--	--	--	--	--	--

	B	C	D	E	F	G	I
A	FIXTURE SERIES						
	Alpine						
B	WATTAGE/LUMENS						
	32	32W/					
	40	40W/					
	48	48W/					
	56	56W/					
	64	64W/					
	72	72W/					
	80	80W/					
	88	88W/					
	96	96W/					
C	CCT						
	27	2700K					
	30	3000K					
	40	4000K					
	50	5000K					
D	VOLTAGE						
	U	120-277V					
	H	347/480V					
E	FINISH						
	BK	Black					
	BZ	Bronze					
	DBZ	Dark Bronze					
	WH	White					
	GR	Green					
	SM	Silver Metallic					
	GY	Light Gray					
	TBK	Textured Black					
	CC	Custom Color (Consult Factory)					
F	DISTRIBUTION						
	3	Type III					
	5	Type V					
G	OPTIONS						
	PC	Button Eye Photo Control					
	H	House Side Shield					
	N	None					
I	WARRANTY²						
	-	5 Year Warranty					
	10	10 Year Warranty					
	10L	10 Year Warranty including labor					

¹Delivered Lumens (4000K)
² 5 Year Warranty is Standard unless specified



DIMENSIONS



Alpine LED LIGHT ENGINE SPECIFICATIONS:

Lumen Output for Saratoga 2										
CCT	LED Module	Input Watts	Efficacy Range		Type 3			Type 5		
					Solid Top	Light Lid	Perf Lid	Solid Top	Light Lid	Perf Lid
5K	32W5K	37	103	115	3862	4103	4135	4086	4221	4288
	40W5K	46	105	117	4827	5129	5168	5108	5276	5359
	48W5K	55	106	118	5793	6155	6202	6129	6331	6431
	56W5K	62	108	120	6758	7181	7236	7151	7386	7503
	64W5K	71	109	121	7723	8207	8269	8173	8442	8575
	72W5K	79	110	122	8689	9233	9303	9194	9497	9647
	80W5K	87	111	124	9654	10258	10336	10216	10552	10719
	88W5K	94	112	125	10620	11284	11370	11237	11607	11791
	96W5K	102	114	126	11585	12310	12404	12259	12663	12863
4K	32W4K	37	96	106	3584	3808	3837	3792	3917	3979
	40W4K	46	98	108	4480	4760	4796	4740	4896	4974
	48W4K	55	99	109	5375	5712	5755	5688	5875	5968
	56W4K	62	100	111	6271	6664	6715	6636	6855	6963
	64W4K	71	101	113	7167	7616	7674	7584	7834	7958
	72W4K	79	102	114	8063	8568	8633	8532	8813	8952
	80W4K	87	103	115	8959	9520	9592	9480	9792	9947
	88W4K	94	104	116	9855	10472	10551	10428	10772	10942
	96W4K	102	105	117	10751	11424	11511	11376	11751	11936
3K	32W3K	37	87	96	3244	3447	3473	3432	3546	3602
	40W3K	46	88	98	4055	4309	4341	4291	4432	4502
	48W3K	55	89	99	4866	5170	5210	5149	5318	5402
	56W3K	62	91	101	5677	6032	6078	6007	6205	6303
	64W3K	71	92	102	6488	6894	6946	6865	7091	7203
	72W3K	79	93	103	7299	7755	7814	7723	7977	8103
	80W3K	87	94	104	8110	8617	8683	8581	8864	9004
	88W3K	94	94	105	8920	9479	9551	9439	9750	9904
	96W3K	102	95	106	9731	10340	10419	10297	10637	10805
27K	32W27K	37	86	95	3201	3401	3427	3387	3498	3553
	40W27K	46	87	97	4001	4251	4283	4233	4373	4442
	48W27K	55	88	98	4801	5101	5140	5080	5247	5330
	56W27K	62	90	100	5601	5951	5997	5927	6122	6219
	64W27K	71	91	100	6401	6802	6853	6773	6996	7107
	72W27K	79	91	101	7201	7652	7710	7620	7871	7995
	80W27K	87	92	102	8001	8502	8567	8467	8746	8884
	88W27K	94	93	103	8802	9352	9424	9313	9620	9772
	96W27K	102	94	105	9602	10203	10280	10160	10495	10660